

Docket No.
001227/0122

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patentee: Claude Mathieu et al.
Patent No.: 7,442,208 Issued: 10/28/2008
Serial No.: 10/784,046 Filed: 02/20/2004
Examiner: Brian E. Pellegrino Art Unit: 3738
For: INTERSPINAL PROSTHESIS

Date: February 8, 2010

**REQUEST FOR CERTIFICATE OF CORRECTION
UNDER 37 C.F.R. § 1.323**

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Attention: Certificate of Correction Branch

Sir:

It is respectfully requested that a Certificate of Correction be issued by the U.S. Patent and Trademark Office to correct mistakes which appear in the printed patent. A Certificate of Correction form (PTO/SB/44) is submitted herewith.

Since the errors sought to be corrected arose through mistakes which were not the fault of the Patentee nor his representatives, no fee is believed to be due for this Certificate of Correction. However, if any fee is required, the Commissioner is authorized to charge the amount of such fee, or any other necessary fees, to Deposit Account No. 19-4709.

Issuance of a Certificate of Correction is respectfully requested. If there are any questions, please contact Patentee's attorney at the number listed below.

Respectfully submitted,

By: /Giuseppe Molaro/
Giuseppe Molaro, Registration No. 52,039
For Brian M. Rothery, Reg. No. 35,340
Attorney for the Applicants
STROOCK & STROOCK & LAVAN LLP
180 Maiden Lane
New York, New York 10038
Tel. (212) 806-5400
Fax (212) 806-6006

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : **7,442,208**
APPLICATION NO.: **10/784,046**
ISSUE DATE : **10/28/2008**
INVENTOR(S) : **Claude Mathieu et al.**

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5, line 17: after "a first half comprising a coupling portion and a" please insert -- substantially ellipsoid shaped --.

Column 5, line 25: after "a second half comprising a coupling portion and a" please insert -- substantially ellipsoid shaped --.

Column 5, line 31: after "advancement into the interspinal space;" please insert -- and --.

Column 5, line 32: please delete "a locking mechanism" and replace with -- a bolt extending at least partially into the coupling portions of the first and second halves --.

Column 5, line 33: please delete "after at least the coupling portion of".

Column 5, line 34: please delete "the first half has been inserted into the interspinal space".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Stroock & Stroock & Lavan LLP
180 Maiden Lane
New York, NY 10038

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to file complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.